




Cette page n'est pas encore traduite entièrement. Merci de terminer la traduction

(supprimez ce paragraphe une fois la traduction terminée)

## 4. Configuring the Store

### 4.01. Making items visible to the new store using a Master List

1. Click on the **Master Lists** tab and select at least one Master List.



2. Click **OK**
3. Click **OK** again


### 4.02. Setting up correct synchronisation settings

If you have used [store\\_create\\_from\\_name](#) for creation of the store, and you have specified the sync site that the store will be **Active** on, then all you need to do here is:



- Change the Synchronisation type for this store on the Primary Server to **Collector** if so desired (normally the case)
- Configure this new store's Sync type to be **Transfer** or **Active/Collector** for any *other* sync sites that need to deal with this store.

1. Edit store synchronisation settings (**Special > Show Stores > Double-click on store > Synchronisation > Click to Unlock**, enter code to edit):
2. In the table below, in row of the Sync site that was created for this store, tick the tickbox in the **Local** column. This will automatically change the Sync type for that site to Active/Collector.



3. Set **Synchronisation type** at the top to Collector
4. Click **OK**

### 4.03. Make Store visible to other Stores

1. Edit the 'name' associated with the Store and configure visibility to other Stores appropriately

From:  
<https://wiki.msupply.foundation/> - **mSupply Foundation Documentation**

Permanent link:  
[https://wiki.msupply.foundation/fr:mobile:setup:server\\_side:config?rev=1580840776](https://wiki.msupply.foundation/fr:mobile:setup:server_side:config?rev=1580840776)

Last update: **2020/02/04 18:26**

